DEPARTMENT of ENVIRONMENTAL SERVICES Water Supply & Pollution Control Division - Biology Bureau

LAKE TROPHIC DATA

MORPHOMETRIC:

Lake: MILLEN POND

Town: WASHINGTON

County: Sullivan

River Basin: Connecticut

Latitude: 43°10'03" N

Longitude: 72°07'14" W

Elevation (ft): 1582

Shore length (m): 5000

Watershed area (ha): 63.13

Lake Area (ha): 63.13

Maximum depth (m): 12.6

Mean depth (m): 5.0

Volume (m³): 3185500

Relative depth: 1.4

Shore configuration: 1.78

Areal water load (m/yr): 3.61

Flushing rate (yr-1): 0.70

Watershed area (ha): 336.7

P retention coeff.: 0.71

Watershed ponded: 0.0

Lake type: natural w/dam

7 January 1998	24 June 1997
DINOBRYON 45%	DINOBRYON 90%
SYNURA 30%	MALLOMONAS 5%
ASTERIONELLA 15%	PERIDINIUM 5%
	0.92
CALANOID COPEPOD 43%	CALANOID COPEPOD 50%
CILIATE SPP 23%	
BOSMINA 14%	
8	24
32	49
56	78
	Sparse
	7.5
10.4	9.0
	DINOBRYON 45% SYNURA 30% ASTERIONELLA 15% CALANOID COPEPOD 43% CILIATE SPP 23% BOSMINA 14% 8 32 56

SUMMER THERMAL STRATIFICATION:

stratified

Depth of thermocline (m): 6.0 Hypolimnion volume (m^3) : 227000 Anoxic volume (m^3) : None

CHEMICAL:			MILLEN PO		
	7 January 1998 24 Jun		June 1997	ne 1997	
DEPTH (m)	3.0	6.0	2.0	7.0	11.0
pH (units)	6.0	6.0	6.3	6.3	6.1
A.N.C. (Alkalinity)	0.9	1.5	1.5		
NITRATE NITROGEN	< 0.05	< 0.05	< 0.05		< 0.05
TOTAL KJELDAHL NITROGEN	0.30	0.10	< 0.10	0.10	0.10
TOTAL PHOSPHORUS	0.005	0.006	0.006	0.007	0.010
CONDUCTIVITY (µmhos/cm)	36.7	35.9	33.4	32.9	33.1
APPARENT COLOR (cpu)	< 5	< 5	< 5	< 5	7
MAGNESIUM			0.44		
CALCIUM			1.6		
SODIUM					
POTASSIUM			0.50		
CHLORIDE	6	6	5		5
SULFATE	4	4	4		4
TN : TP	60	17			10
CALCITE SATURATION INDEX			4.6		


All results in mg/L unless indicated otherwise

TROPHIC CLASSIFICATION: 1997

D.O.	S.D.	PLANT	CHL	TOTAL	CLASS
0	0	0	0	0	Oligo.

COMMENTS:

- 1. Millen Pond was previously surveyed and classified in 1977 and 1984. It was rated oligotrophic in all three years. It has participated in the Volunteer Lake Assessment Program since 1995 and has demonstrated good, stable water quality over the four year period.
- 2. Millen Pond is a crystal clear, moderately acidic oligotrophic pond with low buffering capacity (ANC). It has been sampled since 1983 as part of the acid outlet program and has demonstrated low but stable pH and ANC values over that period. Lower than normal ANC values were recorded over the last three years (1997-99).
- 3. Good, gravel-packed boat launch site was available for public access.



FIELD DATA SHEET

LAKE: MILLEN POND

DATE: 06/24/97

TOWN: WASHINGTON

WEATHER: OVERCAST/LIGHT DRIZZLE; COOL

DEPTH (M)	TEMP (°C)	*DISSOLVED OXYGEN	OXYGEN SATURATION
0.1	21.3	8.8	97 %
1.0	21.3	8.8	97 %
2.0	21.3	8.9	98 %
3.0	21.3	8.8	97 %
4.0	21.2	8.8	97 %
5.0	20.7	9.3	102 %
6.0	18.8	10.6	110 %
7.0	16.2	11.3	114 %
8.0	15.0	11.3	111 %
9.0	13.9	11.8	110 %
10.0	12.6	11.4	105 %
11.0	12.2	10.3	95 %
12.0	11.9	9.0	80 %
			- 100 - 1 10 - 10 - 10 - 10 - 10 - 10 -
			44.00


SECCHI DISK (m): 7.5

5 COMMENTS:

BOTTOM DEPTH (m): 12.4

TIME: 1230

*Dissolved oxygen values are in mg/L



AQUATIC PLANT SURVEY

DATE: 06/24/97 LAKE: MILLEN POND TOWN: WASHINGTON PLANT NAME ABUNDANCE Key **GENERIC** COMMON Sparganium Bur reed Sparse S Α Arrowhead Sparse Sagittaria Y Nuphar Yellow water lily Sparse

OVERALL ABUNDANCE: Sparse

GENERAL OBSERVATIONS:

- 1. Plant abundance appeared to be less than what was observed in 1977.
- 2. Three loons were observed.